



Bibliography and Suggested Reading

A New Lens on DKA: Leveraging the Latest Tech for Improved Patient Outcomes

Albanese-O'Neill A, Wu M, Miller KM, et al; T1D Exchange Clinic Network. Poor Adherence to Ketone Testing in Patients With Type 1 Diabetes. *Diabetes Care*. 2017;40(4):e38-e39.

American Diabetes Association (ADA). Diabetes & DKA (Ketoacidosis). Available at: <https://diabetes.org/about-diabetes/complications/ketoacidosis-dka/dka-ketoacidosis-ketones>. Accessed June 18, 2026.

American Diabetes Association Professional Practice Committee. 6. Glycemic Goals and Hypoglycemia: Standards of Care in Diabetes—2025. *Diabetes Care*. 2025;48(Supplement_1):S128–S145.

Benoit SR, Hora I, Pasquel FJ, et al. Trends in Emergency Department Visits and Inpatient Admissions for Hyperglycemic Crises in Adults With Diabetes in the U.S., 2006-2015. *Diabetes Care*. 2020;43(5):1057-1064.

Bergenstal RM, Viridi N, Quadri F, et al. Monitoring Ketonemia in People with Diabetes: Preliminary Findings from Real-World Studies. *Diabetes Technol Ther*. 2025;27(S4):S25-S31.

Canales SP, Portillo F, Panting B, et al. #1783556 Disparities in Outcomes and Healthcare Utilization for Diabetic Ketoacidosis Among Patients with Type 1 and Type 2 Diabetes Mellitus: A Five-Year National Retrospective Cohort Study. *Endocrine Pract*. 2024;30(5) Supplement:S24.

Cosson E, Fagherazzi G, Guerci B, et al. OP085/#59 Patients' Knowledge and Barriers to Ketone Self-Monitoring: Results from a Prospective Survey of T1DM Patients from the French SFDT1 Cohort. *Diabetes Technol Ther*. 2026;28(3):1S-448S.

Dhatariya K, Bergenstal RM, Al-Sofiani M, Albanese-O'Neill A, et al. Continuous ketone monitoring for people with diabetes: international expert recommendations on the application of a new technology. *Lancet Diabetes Endocrinol*. 2026;14(1):82-92.

Fallabel C. Abbott's Dual Glucose-Ketone Sensor Receives CE Mark- And Could be a Game Changer for DKA Prevention. Beyond Type 1.org. Available at: <https://beyondtype1.org/abbott-dual-glucose-ketone-ce-mark/>. Accessed June 18, 2026.

Ghetti S, Kuppermann N, Rewers A, et al; Pediatric Emergency Care Applied Research Network (PECARN) DKA FLUID Study Group. Cognitive function following diabetic ketoacidosis in young children with type 1 diabetes. *Endocrinol Diabetes Metab*. 2023;6(3):e412.



A New Lens on DKA: Leveraging the Latest Tech for Improved Patient Outcomes

Haas NL, Korley FK, Schneider RM, et al. Continuous Ketone Monitoring in Diabetic Ketoacidosis: Prospective Multicenter Method-Comparison and Feasibility Study. *Diabetes Technol Ther*. 2026. Epub ahead of print.

Kitabchi AE, Umpierrez GE, Miles JM, Fisher JN. Hyperglycemic crises in adult patients with diabetes. *Diabetes Care*. 2009;32(7):1335-1343.

Liu P, Li C, Wang J, et al. OP035/#255 Metabolic Profiling of Controlled Insulin Withdrawal: Real-Time Dynamics of Glucose and Ketone via Continuing Monitoring. *Diabetes Technol Ther*. 2026;28(3):1S-448S.

Nguyen KT, Xu NY, Zhang JY, et al. Continuous Ketone Monitoring Consensus Report 2021. *J Diabetes Sci Technol*. 2022;16(3):689-715.

Quadri F, Rahman S, Viridi N. Abstract 878. 61st EASD Annual Meeting of the European Association for the Study of Diabetes : Vienna, Austria, 15 - 19 September 2025. *Diabetologia*. 2025;68(Suppl 1):1-754.

Rodriguez Alvarez P, San Martin VT, Morey-Vargas OL. Hyperglycemic crises in adults: A look at the 2024 consensus report. *Cleve Clin J Med*. 2025;92(3):152-158.

Seidu SI, et al. Rising Burden of Diabetic Ketoacidosis in the UK: 21-Year Trends, Recurrence, and Prevalence from Linked Primary-Secondary Care Data. Oral Presentation 08: Diabetes Care- From Population Trends to Patient-Centered Innovation Session at Advanced Technologies & Treatments for Diabetes (ATTD) 2026 Conference. Abstract available at: <https://cslide.ctimeetingtech.com/attd26/attendee/confcal/show/session/64>. Accessed June 18, 2026.

Shaka H, Aguilera M, Aucar M, et al. Rate and Predictors of 30-day Readmission Following Diabetic Ketoacidosis in Type 1 Diabetes Mellitus: A US Analysis. *J Clin Endocrinol Metab*. 2021;106(9):2592-2599.

Umpierrez GE, Davis GM, ElSayed NA, et al. Hyperglycemic Crises in Adults With Diabetes: A Consensus Report. *Diabetes Care*. 2024;47(8):1257-1275.

Viridi N, Poon Y, Abaniel R, et al. Prevalence, Cost, and Burden of Diabetic Ketoacidosis. *Diabetes Technol Ther*. 2023;25(S3):S75-S84.



A New Lens on DKA: Leveraging the Latest Tech for Improved Patient Outcomes

Westerberg DP. Diabetic ketoacidosis: evaluation and treatment. *Am Fam Physician*. 2013;87(5):337-346.

Wysham C, Miller EM, Donckels E, et al. 1903-P: Continuous Glucose Monitoring with Prandial Insulin Use among Medicare Patients with Type 2 Diabetes Mellitus and Reductions in Diabetic Ketoacidosis Events. *Diabetes*. 2026;75(Supplement_1): 1903–P.

Zhong VW, Juhaeri J, Mayer-Davis EJ. Trends in Hospital Admission for Diabetic Ketoacidosis in Adults With Type 1 and Type 2 Diabetes in England, 1998-2013: A Retrospective Cohort Study. *Diabetes Care*. 2018;41(9):1870-1877.