

For adults with Excessive Daytime Sleepiness  
due to obstructive sleep apnea or narcolepsy

# SUNOSI Can Help You Stay Awake For Amazing Things

.....

Ask your doctor about  
once-daily SUNOSI today.



Go to [SunosiSavings.com](https://SunosiSavings.com)  
to get a Savings Card!

Eligible patients may pay as  
little as \$9/month for SUNOSI.

## What is SUNOSI?

SUNOSI is a prescription medicine used to improve wakefulness in adults with excessive daytime sleepiness due to narcolepsy or obstructive sleep apnea (OSA).

- SUNOSI does not treat the underlying cause of OSA and does not take the place of any device prescribed for OSA, such as a continuous positive airway pressure (CPAP) machine. It is important that you continue to use these treatments as prescribed by your healthcare provider.

Please see Important Safety  
Information inside and  
accompanying **Medication Guide**.



# Excessive Daytime Sleepiness due to obstructive sleep apnea (OSA) or narcolepsy is a real medical condition

## It's different than just being tired

Do you always want to nap during the day? Drinking lots of coffee or energy drinks? Whether or not you're already treating your OSA or narcolepsy, there may be more you can do if you're still feeling tired during the day.

Common signs and symptoms of Excessive Daytime Sleepiness due to OSA or narcolepsy may include:



Irresistible urge to sleep



Brain fog



Unrefreshing sleep



Difficulty staying awake during the day

Visit [SUNOSI.com](https://www.sunosi.com) to learn more about Excessive Daytime Sleepiness due to OSA or narcolepsy.

Please see Important Safety Information on pages 8-9 and accompanying [Medication Guide](#). For more information, visit [SUNOSI.com](https://www.sunosi.com)

## Take this quiz to rate how tired you are during the day

Using the scale below, circle the number that best describes how likely you are to fall asleep in each situation.

<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>
no chance of dozing	slight chance of dozing	moderate chance of dozing	high chance of dozing

	Chance of dozing			
1. Sitting and reading	0	1	2	3
2. Watching TV	0	1	2	3
3. Sitting inactive in a public place (e.g., a theater or a meeting)	0	1	2	3
4. As a passenger in a car for an hour without a break	0	1	2	3
5. Lying down to rest in the afternoon when circumstances permit	0	1	2	3
6. Sitting and talking to someone	0	1	2	3
7. Sitting quietly after a lunch without alcohol	0	1	2	3
8. In a car, while stopped for a few minutes in traffic	0	1	2	3

Add up the numbers that you circled to get your score.

### Your Daytime Sleepiness Score\*:

\*Your score is determined by the Epworth Sleepiness Scale. A score of 10 or higher may mean you have excessive daytime sleepiness.



### Share these results with your doctor

and ask to be evaluated for Excessive Daytime Sleepiness due to OSA or narcolepsy to see if treatment with SUNOSI is right for you.





## Is SUNOSI right for me?

You deserve to stay awake during the day and SUNOSI can help.

If you have obstructive sleep apnea (OSA) or narcolepsy and are often tired during the day, then it may be time to talk to your doctor about SUNOSI.

Do not take SUNOSI if you are taking, or have stopped taking within the past 14 days, a medicine used to treat depression called a monoamine oxidase inhibitor (MAOI).

### Fast facts about SUNOSI

- SUNOSI started working in **as little as one hour** and improved wakefulness for **up to 9 hours\*** in clinical studies at 12 weeks.
- SUNOSI **does not treat the underlying cause of OSA** or take the place of your CPAP.
- **SUNOSI is not a stimulant.**
- SUNOSI was not shown to cause symptoms of **withdrawal or dependence** in clinical studies.
- **SUNOSI is a controlled substance** because it can be a target for abuse. Keep SUNOSI in a safe place to protect it from theft.
- It is **not known** if SUNOSI is safe and effective in children.

\*75 mg dose did not show improvement at one hour or across 9 hours in narcolepsy.

Please see Important Safety Information on pages 8-9 and accompanying **Medication Guide**. For more information, visit [SUNOSI.com](https://www.sunosi.com)

**sunosi.**  
(solriamfetol) 

# Results with SUNOSI



## How long does SUNOSI last during the day?

SUNOSI started working in as little as one hour and improved wakefulness for up to 9 hours\* during the day as measured at 12 weeks.

SUNOSI is not a stimulant.

\*75 mg dose did not show improvement at one hour or across 9 hours in narcolepsy.

## Possible side effects of SUNOSI

In clinical studies, the most common side effects were headache, nausea, decreased appetite, anxiety, and problems sleeping. SUNOSI may cause serious side effects, including increased blood pressure and heart rate, and psychiatric symptoms like anxiety, problems sleeping, irritability, and agitation.

**Talk to your doctor** to see if SUNOSI is right for you.

# How do I take SUNOSI?



## SUNOSI is a tablet taken once daily

- Take when you wake up in the morning
- Take with or without food
- Do not take within 9 hours of your bedtime

## Starting treatment with SUNOSI

SUNOSI comes in 75 mg and 150 mg tablets. If your doctor recommends starting with a 37.5 mg dose, you will need to split the 75 mg tablet in half. Always take SUNOSI as prescribed.

After the first few days, your doctor may need to adjust your dose. If you are not seeing the results you want with SUNOSI, ask about your dosing options and always speak up about any side effects.



Please see Important Safety Information on pages 8–9 and accompanying **Medication Guide**. For more information, visit [SUNOSI.com](https://www.sunosi.com)

**sunosI**  
(solriamfetol) 



## Important Safety Information

**Do not take SUNOSI** if you are taking, or have stopped taking within the past 14 days, a medicine used to treat depression called a monoamine oxidase inhibitor (MAOI).

**Before taking SUNOSI, tell your doctor about all of your medical conditions, including if you:**

- have heart problems, high blood pressure, kidney problems, diabetes, or high cholesterol.
- have had a heart attack or a stroke.
- have a history of mental health problems (including psychosis and bipolar disorders), or of drug or alcohol abuse or addiction.
- are pregnant or planning to become pregnant. It is not known if SUNOSI will harm your unborn baby.
- are breastfeeding or plan to breastfeed. It is not known if SUNOSI passes into your breast milk. Talk to your doctor about the best way to feed your baby if you take SUNOSI.

**What are the possible side effects of SUNOSI?**

**SUNOSI may cause serious side effects, including:**

**Increased blood pressure and heart rate.** SUNOSI can cause blood pressure and heart rate increases that can increase the risk of heart attack, stroke, heart failure, and death. Your doctor should check your blood pressure before, and during, treatment with SUNOSI. Your doctor may decrease your dose or tell you to stop taking SUNOSI if you develop high blood pressure that does not go away during treatment with SUNOSI.

Please see accompanying **Medication Guide**.  
For more information, visit **SUNOSI.com**

## Important Safety Information

**Mental (psychiatric) symptoms including anxiety, problems sleeping (insomnia), irritability, and agitation.** Tell your doctor if you develop any of these symptoms. Your doctor may change your dose or tell you to stop taking SUNOSI if you develop side effects during treatment with SUNOSI.

The most common side effects of SUNOSI include:

- headache
- decreased appetite
- problems sleeping
- nausea
- anxiety

These are not all the possible side effects of SUNOSI. Call your doctor for advice about side effects.

**SUNOSI is available in 75 mg and 150 mg tablets and is a federally controlled substance (CIV) because it contains solriamfetol that can be a target for people who abuse prescription medicines or street drugs.**

Keep SUNOSI in a safe place to protect it from theft. Never give or sell your SUNOSI to anyone else because it may cause death or harm them and it is against the law. Tell your doctor if you have ever abused or been dependent on alcohol, prescription medicines, or street drugs.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit **[www.fda.gov/medwatch](http://www.fda.gov/medwatch)** or call **1-800-FDA-1088**.

**SUNOSI**  
(solriamfetol) (CIV)



## Save on SUNOSI

**Ready to fill your prescription for SUNOSI? Get a SUNOSI Savings Card online and take it to your pharmacy today.**

Eligible patients may pay as little as \$9 a month. See Eligibility and Terms of Use at [SunosiSavings.com](https://SunosiSavings.com).



**SUNOSI**  
(solriamfetol) 

savings card  
pay as little as

Download a card at  
**Sunosi**  
**Savings.com**

**\$9**

**“ I was tired of being tired, so I talked to my doctor about SUNOSI. With treatment, I feel more awake during the day to do the things that I love. ”**

— Real SUNOSI Patient  
Individual results may vary

Please see Important Safety Information on pages 8-9 and accompanying **Medication Guide**. For more information, visit [SUNOSI.com](https://SUNOSI.com)

Jazz Pharmaceuticals provides a variety of patient support services for SUNOSI. If you have questions or need assistance paying for your medication, JazzCares may be able to help.

The cost of SUNOSI will vary depending on whether or not you have insurance and, if so, what type of insurance.

**Call JazzCares at 1-833-533-JAZZ (5299). Representatives are available Monday through Friday between 8AM and 8PM ET.**

**SUNOSI**  
(solriamfetol) 

  
SUNOSI.  
(solriamfetol) (IV)



To sign up for the latest  
information and helpful tips  
about SUNOSI, go to

[SUNOSI.com](https://www.sunosi.com)



Jazz Pharmaceuticals®

© 2020 Jazz Pharmaceuticals Inc., a subsidiary of Jazz Pharmaceuticals plc, all rights reserved.  
US-SOL-2000178 Rev0620